அதற்கு பதிலாக டெம்பரவரி ஆட்களைப் போடுவதுதான் சர்க்காருடைய கொள்கையா ? அப்படி அல்ல என்று சர்க்கார் உத்தரவாதம் கொடுப்பார்களா ?"

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" I have already stated in my reply that as soon as the works were completed, they were relieved. They will be reabsorbed as soon as fresh works are taken up under the extension schemes."

SRI S. RAMALINGAM :—" ஸார், கிராமங்களில் மின்சார சக்தியை விஸ்தரிப்பதற்கு சர்க்கார் திட்டமிட்டிருக்கிறார்கள். அந்த வேலைகளுக்கு நீக்கப்பட்ட தொழிலாளர்களை துரிதமாக சர்க்கார் எடுத்துக்கொள்ளுவார்களா? அவ்விதம் அவர்களை துரிதமாக எடுத்துக்கொண்டு கிராமங்களில் மின் சாரத்தை விஸ்தரிப்பதற்கு சர்க்கார் முன்வருவார்களா ?"

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" Certainly, when there is work, they will be taken back."

11-30 a.m. SRI N. K. PALANISAMY :—" ஸார், சாதாரணமாக (மதராஸ்) ஜெனரல் எலக்ட்ரிக் கார்போரேஷனில் 1952-ம் வருஷத்திலிருந்து 400 பேர்கள் வேலையிலிருந்து நீக்கப்பட்டிருக்கிறார்கள். அவர்களை மறுபடியும் வேலைக்கு எடுத்துக்கொள்ள மாட்டேன் என்று சர்க்கார் சொல்லுகிறார்கள். அவர்களை வேலைக்கு எடுத்துக்கொள்ளுவார்களா என்று கேட்கிறேன்."

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" I have already stated that we would employ them whenever and wherever necessary. But the hon. Member is asking again whether they will be taken. Against what work are they to be taken? If there is work they will be taken, Sir."

SRI T. S. ARDHANARI :—" வேலை இழந்த தொழிலாளிகளுக்கு சர்க்கார் ஏதாவது நிவாரணம் கொடுப்பதற்கு முன்வருமா ?"

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" No, Sir. There is no such provision for temporary workers."

Water-supply to Turaiyur, Tiruchirappalli district, from the Kasikulam tank.

* 446 *Q.*—SRI P. RANGASWAMI REDDIAR : Will the Hon. the Minister for Health be pleased to state—

(*a*) whether the Sanitary Engineer, Madras, inspected the Kasikulam tank at Turaiyur, Tiruchirappalli district, on 19th February 1954, and advised the Panchayat Board, Turaiyur, to de-silt the said tank, with a view to supply water to the town, from that tank;

(*b*) whether the Sanitary Engineer advised the Panchayat Board to take action urgently, so that the work could be completed ahead of the summer and the supply to the town made available?

20th December 1954]

(*c*) when the tank was de-silted;

(*d*) when the tank was put to a full power test for assessing the quantity of the yield from the tank;

(*e*) the results of the power test;

(*f*) whether representative samples of water of the said tank were sent to the King Institute, Guindy, for analysis;

(*g*) if so, when and what is the result of the analysis made regarding the quality of the water; and

(*h*) why the water-supply is still delayed?

THE HON. SRI A. B. SHETTY :—" (*a*) Yes, Sir.

" (*b*) Yes, Sir.

" (*c*) The work was commenced in the first week of April 1954 and completed in the first week of June 1954.

" (*d*) The yield test was conducted from 15th August 1954 to 25th August 1954.

" (*e*) The results have indicated that it will be possible to utilise the tank for supplying an ultimate population of 20,000 at 5 gallons per head per day.

" (*f*) Yes, Sir.

" (*g*) In September 1954, the Director of King Institute, reported that the water in that stage was unfit for drinking purposes and that the water could be supplied to the people after necessary treatment.

" (*h*) The results of the quality and quantity tests have been examined by the Sanitary Engineer and necessary advice is being given by him to the panchayat for preparing plans and estimates for the scheme with Kasikulam tank as source."

SRI P. RANGASWAMI REDDIAR :—" Sir, the answer to (*f*) regarding the results of the analysis by the King Institute, Guindy, is not clear. May I know what the decision of the Government is in the matter of water-supply? Is the decision to the effect that water-supply should be made at an early date or is it to postpone it?"

THE HON. SRI A. B. SHETTY :—" Sir, I have already stated that the results of the tests have been examined by the Sanitary Engineer and necessary advice is being given by him to the panchayat for preparing plans and estimates for the scheme with Kasikulam tank as source."

Non-inclusion of the residents of the Golden Rock colony in the electoral roll of Tiruchirappalli District Board.

* 447 *Q.*—SRI M. KALYANASUNDARAM :—" Sir, this is the subject-matter of a writ petition before the High Court and thus it is *sub judice*."

MR. SPEAKER :—" Then I shall pass over this question."